




# XENTRY

2 WIRE HD VIDEO SYSTEM

***A brand new vision***



**FARFISA**  
INTERCOMS SINCE 1967  





**A brand  
new vision**

# XENTRY

2 WIRE HD VIDEO SYSTEM

**Xentry System integrates  
IP technology into a 2-wire  
infrastructure**, offering  
maximum installation flexibility  
and outstanding audio  
and video quality.



# XENTRY

## 2 WIRE HD VIDEO SYSTEM

### **Features of the system:**

- HD video signal
- Full duplex communication
- Plug & Play Configuration
- Multi-channel call (up to 4 simultaneous communications)
- Installations up to 16 monitors and 4 door stations
- No video distributors for the monitors needed
- No line distributors for the door stations or riders needed
- Excellent solution when utilise existing cable
- Easy integrations with CCTV cameras
- Simplified setup through XN700 monitor





"Proximity"  
activation: automatic  
management of the  
brightness display

Integrated  
proximity  
reader

3.5" display  
480X480 TFT  
touch screen

Illuminated icons:  
system status,  
conversation,  
door open

HD 2MP  
camera



**code XN500**

## Door Stations

### Common features:

- Surface mounting
- Protection: IP54 and IK07
- 2MP 1080 starlight camera
- Wide-angle 150° horizontal lens
- Voice prompt



### **XN500**

Door station made in aluminum, with touch display for one- or multi-way installations. Provided with RFID/MIFARE proximity reader. *Dim: mm 190 x 95 x 28.*



### **XN100**

Door station made in 304 stainless steel with 1 call button and RFID/MIFARE proximity reader. Rain shelter included. *Dim: mm 178 x 94 x 37*



### **XN300**

Door station made in 304 stainless steel with 1 call button and keypad. Rain shelter included. *Dim: mm 182 x 93 x 44*



## Video intercom



### **XN700**

7" video intercom, pure glass touch control, hands-free, white colour.

- Full HD
- 1024 x 600 pixel resolution
- Wi-Fi integrated
- Full duplex audio channel
- Video memory
- Intercommunicating call
- Tuya app interface
- Dim: mm 186 x 139 x 14



## Videokits:

### **1XN500**

1-way videokit composed with: XN500 door station, XN700 videointercom and PRSXN power supply. Expandable to multi-way, up to 16 monitors and 4 door stations.

### **1XN100**

1-way videokit composed with XN100 door station, XN700 videointercom and PRSXN power supply. Expandable up to 4 door stations.

### **1XN300**

1-way videokit composed with XN300 door station, XN700 videointercom and PRSXN power supply. Expandable up to 4 door stations.

### **Accessories:**

#### **PRSXN**


Power supply, 60VA. Dim: 4 DIN modules

**RLX** Additional relay for extra activations


**FP11/10** Set with proximity cards

**FP12/10** Set with proximity electronic Fobs

**Multi-way  
installation**



## Installation examples



**1-way  
installation** with  
video intercoms in  
parallel

**ACI srl** via Ezio Vanoni, 3  
60027 Osimo (AN) **ITALY**  
T +39 071 . 720 20 38  
**info@farfisa.com · farfisa.com**

